

TABULA TABLES - TEX 10

— By Alegre Design —

MODELS WILL BE DISCONTINUED ONCE THE STOCK FINISHED





■ DESCRIPTION

Linking plate to fix column to surface:

- **Board surface:** Moulded aluminium plate

- **Glass surface:** Steel plate fixed to the glass top

Frame is formed by an extruded aluminium leg 2 mm thick and a moulded aluminium round base. Antiskid levellers to avoid problems with irregular floors. Two different heights: 73 cm or 43 cm

① Linking plate fixing the top to the column


② Work tops available in different finishes and colours

③ Extruded aluminium 2 mm thick


④ Ø 58 cm steel base, 5 mm thick



Central leg, extruded aluminium 2 mm thickness



Fixing plate linking the column to the surface



Base detail and anti-skid Polypropylene glides

■ FRAME




White coating



Silver coating

■ DIMENSIONS



■ FINISHES (see table of finishes)

MFC (25 mm)



C. Laminate (13 thick)



Glass





MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

83,59%

RECYCLED
MATERIALS


PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%

RECYCLABLE
ALUMINIUM, STEEL
& WOOD


TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%

RECYCLABLE
PACKAGE AND THINNER
FREE


USE

Quality and warranty. Long lasting. Replacements available.

EASY

TO CLEAN
AND MAINTAIN


DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

97,83%

RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).


The mark of
responsible forestry


PEFC Certificate



ECODESIGN Certificate



ISO 9001 Certificate



ISO 14001 Certificate


E1 Certificate
by EN 13986

California 93120
Compliant Formaldehyde Phase 2

ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum certified 2017

STANDARDS

TEX 10 has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture.

The tests correspond to **UNE** standards and office desks:

- **UNE: EN 527-1:2011.** Office Furniture. Desks. **Part 1:** Dimensions.
- **UNE: EN 527-2:2003.** Office Furniture. Desks. **Part 2:** Mechanical security requirements.
- **UNE: EN 527-3:2003.** Office Furniture. Desks. **Part 3:** Test to determine stability and structure resistance.
- **UNE: EN 15372:08.** Office Furniture. Strength, durability and safety. Requirements for domestic use desks. Office Furniture. Desks. **Part 2:** Strength, durability and safety.
- **UNE: EN 1730:13.** Furniture. Tables. Test methods for the determination of stability, strength and durability.
- **UNE: EN14073-2:05.** Office furniture. Tables and desks and storage furniture. Safety requirements.
- **UNE: EN 14073-3:05.** Office furniture. Tables and desks and storage furniture. Test methods for the determination of stability and strength of the structure.
- **UNE: EN 14074:05.** Office furniture. Tables and desks and storage furniture. Test methods for the determination of strength and durability of moving parts.